POPULATION ESTIMATES	;	LONG-TERM CARE -		LOCAL HEALTH DEPART	MENTS
Total 2003 Population Population per square mile	99	Community Options and MA Wa as HSRS reports costs for s	servi ces	Staffing - FTE Number Total staff 12.2	Per 10,000 Population
County ranking in state (1 Age Female Male 0-14 7,980 8,470 15-19 2,920 3,360 20-24 2,390 3,330	-72) 20 Total 16, 450 6, 290 5, 710	Clients COP 11 MA Waiver * CIP1A 11 CIP1B 109 \$	Costs \$179, 379 \$662, 687 53, 038, 263	Staffing - FTE Number Total staff 12.2 Administrative 1.2 Public health nurses 4.8 Other prof. staff 2.4 Technical/Paraprof. 1.9 Support staff 1.2	0. 1 0. 5 0. 3 0. 2 0. 1
25-29 2, 210 3, 240 30-34 2, 620 3, 410 35-39 3, 070 3, 780 40-44 3, 540 4, 150	5, 440 6, 030 6, 850 7, 700	CIPIA 11 CIP1B 109 \$ CIP2 20 COP-W 112 \$ CSLA 0 Brain Injury 10 Total COP/Wvrs 273 \$	\$1, 112, 512 \$0 \$418, 847 \$5, 480, 556	Fundi ng Total \$934, 770 Local Taxes \$416, 863	Per capi ta \$10.67 \$4.76
45-54 5, 980 6, 880 55-64 4, 020 4, 140	12, 870 8, 160	\$400,631 of the above wa	niver costs	LI CENSED ESTABLI SHN	
65-74 3, 050 2, 760 75-84 2, 530 1, 810 85+ 1, 380 620 Total 41, 690 45, 980	5, 810 4, 350 2, 000 87, 660	were paid as Local match/o using COP funds. This amo not included in above COP * Waiver costs reported he	overmatch bunt is costs.	Type Capacity Bed & Breakfast 32 Camps 544 Hotels, Motels 710 Tourist Rooming 32 Pools	Facilities 12 11 26
Age Female Male 0-17 9,700 10,510 18-44 15,030 19,230 45-64 10,000 11,020	Total 20, 220 34, 250 21, 030	include federal funding.		Pool s Restaurants Vendi ng	11 369 6
65+ 6, 960 5, 190 Total 41, 690 45, 980	12, 160 87, 660	Clients Eligible and Waiting 200 (Family Care not provided i		WIC PARTICIPANTS	;
Poverty Estimates for 2000			J .		
All ages 4,595 5.3% Ages 0-17 1,422 6.7%	226 (5%) 114 (8%)	Note: Eligible and waiting will be phased into the C Waivers as available.	clients COP and MA	Pregnant/Postpartum Infants Children, age 1-4 Total	
Average wage for jobs covered by unemployment compensation (place of work) Labor Force Estimates Civilian Labor Force Number employed Number unemployed Unemployment rate	\$31, 210 Annual Average	Home Health Agencies Patients Patients per 10,000 pop. Nursing Homes Licensed beds Occupancy rate Residents on Dec. 31	118 10 1, 060 87. 2% 946	CANCER INCIDENCE (2 Primary Site Breast Cervical Colorectal Lung and Bronchus Prostate Other sites Total	66 0 59 61 73 193 452
Unempl oyment rate	2, 826 5. 9%	Residents age 65 or older per 1,000 population	70	Note: Totals shown are for invasive cancers only.	

			NATA	NITY				
TOTAL LIVE BIRTHS		963	Birth Order	Births	Percent	Marital Status		
TOTAL LIVE BIKING		700	First	390	40	of Mother	Bi rths	Percent
Crude Live Birth Rate	7	11. 0	Second	312	32	Marri ed	722	75
General Fertility Rat		57. 5	Thi rd	168	17	Not married		25
deficial relativity hat	.0	37.3	Fourth or higher	93	17 10	Unknown	1	<. 5
Live births with repo	ortod		Unknown	0	0	OTINITOWIT	'	\. J
congenital anomalies	71 LGU 1	1 1.1%	UTRITOWIT	U	U	Educati on		
Congenital anomaires	1	1 1.1/0				of Mother	Bi rths	Percent
Dolivery Type	Dirtho	Doroont	1st Prenatal Visit	Dirtho	Doroont			
Delivery Type	אוו נווא	Percent			Percent	Elementary or le	255 12	1
Vagi nal after	10	1	1st trimester	840	87	Some high school	97	10
previ ous cesarean	10	1	2nd trimester	105	11 2	High School	349	36
Forceps Other vaginal Primary cesarean Repeat cesarean	11	1 76 13	3rd trimester	16 0 2	2	High school Some college College graduate Unknown	2/6	29
Other vaginal	/33	/6	No vi si ts	0	Ō	College graduate	225	2 <u>3</u>
Primary cesarean	124	13	Unknown	2	<. 5	Unknown	4	<. 5
Repeat cesarean	85	9						
			Prenatal Visits	Bi rths	Percent	Smoking Status		_
Bi rthwei ght	Bi rths	Percent	No visits	0	0	of Mother	Bi rths	Percent
<1,500 gm	6	0. 6	1-4	18	2	Smoker	160	17
1,500-2,499 gm	43	4. 5	5-9	145	15	Nonsmoker	803	83
2,500+ gm	913	94. 8	10-12	478	50	Unknown	0	0
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	1	<. 5	13+	321	33			
			Unknown	1	<. 5			
			Low Birthweight		Tri mest	ter of First Prenata		
			(under 2.500 am)	1st Tr	imester	2nd Trimester	Other/	'Unknown
Race/Ethni ci ty	Births P	ercent	(under 2.500 am)	1st Tr Births	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	'Unknown Percent
Race/Ethni ci ty Whi te	Births P 872	ercent 91	(under 2,500 gm) Births Percent 45 5.2	Bi rths 775	imester Percent 89	2nd Trimester Births Percent 88 10	Other/	
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can	Births P 872 5	ercent 91 1	(under 2,500 gm) Births Percent 45 5.2 1 20.0	Bi rths 775 4	imester Percent	2nd Trimester Births Percent 88 10 1 20	Other/ Bi rths 9	Percent
Whi te Bl ack/Afr. Ameri can	872 5	91 1	(under 2,500 gm) Births Percent 45 5.2 1 20.0	Bi rths 775 4 *	imester Percent 89 80	2nd Trimester Births Percent 88 10 1 20	Other/ Bi rths 9 *	Percent 1
Whi te Bl ack/Afr. Ameri can	872 5	91 1	(under 2,500 gm) Births Percent 45 5.2 1 20.0	Bi rths 775 4 *	imester Percent 89	2nd Trimester Births Percent 88 10 1 20	Other/ Bi rths 9	Percent
Whi te Bl ack/Afr. Ameri can	872 5	91 1	(under 2,500 gm) Births Percent 45 5.2 1 20.0	Bi rths 775 4 * 52	i mester Percent 89 80 68	2nd Trimester Births Percent 88 10 1 20 * 15 20 *	Other/ Bi rths 9 *	Percent 1
Whi te Bl ack/Afr. Ameri can	872 5	91 1	(under 2,500 gm) Births Percent 45 5.2 1 20.0	Bi rths 775 4 *	imester Percent 89 80	2nd Trimester Births Percent 88 10 1 20	Other/ Bi rths 9 *	Percent 1
Whi te Bl ack/Afr. Ameri can	Bi rths P 872 5 4 76 1 5	91 1	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 *	Bi rths 775 4 * 52	i mester Percent 89 80 68 80	2nd Trimester Births Percent 88 10 1 20 *	Other/ Bi rths 9 * 9	Percent 1
Whi te Bl ack/Afr. Ameri can	872 5 4 76 1 5	91 1 <. 5 8 <. 5 1	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight	Bi rths 775 4 * 52 * 4	i mester Percent 89 80 68 80 	2nd Trimester Births Percent 88 10 1 20 *	Other/ Births 9 * 9 *	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	872 5 4 76 1 5 	91 1 <.5 8 <.5 1 	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm)	Bi rths 775 4 * 52 * 4 	i mester Percent 89 80 . 68 . Tri mest	2nd Trimester Births Percent 88 10 1 20 * 15 20 * 1 20	Other/ Births 9 * 9 * I Visit Other/	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother	872 5 4 76 1 5	91 1 <. 5 8 <. 5 1	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight	Bi rths 775 4 * 52 * 4 	i mester Percent 89 80 68 80 	2nd Trimester Births Percent 88 10 1 20 * 15 20 * 1 20	Other/ Births 9 * 9 *	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	872 5 4 76 1 5 	91 1 <.5 8 <.5 1 rtility Rate 	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm) Births Percent *	Bi rths 775 4 * 52 * 4 1st Tr Bi rths *	i mester Percent 89 80 . 68 . 80 Tri mest i mester Percent	2nd Trimester Births Percent 88 10 1 20 * 15 20 * 1 20 * ter of First Prenata 2nd Trimester Births Percent	Other/ Births 9 * 9 * I Visit Other/ Births	Percent 1
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	872 5 4 76 1 5 Fe Bi rths 1	91	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.1	Bi rths 775 4 * 52 * 4 1st Tr Bi rths *	i mester Percent 89 80 . 68 . 80 Tri mest i mester Percent . 36	2nd Trimester Births Percent 88 10 1 20 * 15 20 * 1 20 * ter of First Prenata 2nd Trimester Births Percent * 7 50	Other/ Births 9 * 9 * I Visit Other/ Births	Percent 1
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	872 5 4 76 1 5 Fe Bi rths 1 14 64	91	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.1 3 4.7	Bi rths 775 4 * 52 * 4 1st Tr Bi rths * 5	i mester Percent 89 80 . 68 . 80 Tri mest i mester Percent . 36 81	2nd Trimester Births Percent 88 10 1 20 *	Other/ Births 9 * 9 * I Visit Other/ Births * 2	Percent 1
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	872 5 4 76 1 5 Fe Bi rths 1 14 64 227	91 1 < . 5 8 < . 5 1	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.1 3 4.7 15 6.6	Bi rths 775 4 * 52 * 4 1st Tr Bi rths *	i mester Percent 89 80 . 68 . 80 Tri mest i mester Percent . 36 81 84	2nd Trimester Births Percent 88 10 1 20 * 15 20 * 1 20 * ter of First Prenata 2nd Trimester Births Percent * 7 50 9 14 30 13	Other/ Births 9 * 9 * I Visit Other/ Births	Percent 1
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	872 5 4 76 1 5 Fe Bi rths 1 14 64	91	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.1 3 4.7 15 6.6 13 4.1	Bi rths 775 4 * 52 * 4 1st Tr Bi rths * 5	i mester Percent 89 80 . 68 . 80 Tri mest i mester Percent . 36 81	2nd Trimester Births Percent 88 10 1 20 *	Other/Births 9 . 4 9 * I Visit Other/Births 2 3 6 4	Percent 1 12
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	872 5 4 76 1 5 Fe Bi rths 1 14 64 227 319	91	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.1 3 4.7 15 6.6 13 4.1	Bi rths 775 4 * 52 * 4 1st Tr Bi rths * 5 52 191 284	i mester Percent 89 80 . 68 . 80 Tri mest i mester Percent . 36 81 84 89	2nd Trimester Births Percent 88 10 1 20 * 15 20 * 1 20 * 1 20 * ter of First Prenata 2nd Trimester Births Percent * 7 50 9 14 30 13 31 10	Other/Births 9 . 4 9 * I Visit Other/Births 2 3 6 4	Percent 1 12
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	872 5 4 76 1 5 	91	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.1 3 4.7 15 6.6 13 4.1 9 4.0	Bi rths 775 4 * 52 * 4 1st Tr Bi rths * 5 52 191 284 203	i mester Percent 89 80 . 68 . 80 Tri mest i mester Percent . 36 81 84 89 91	2nd Trimester Births Percent 88 10 1 20 * 15 20 * 1 20 * 1 20 * ter of First Prenata 2nd Trimester Births Percent * 7 50 9 14 30 13 31 10 18 8	Other/Births 9 . 4 9 * I Visit Other/Births 2 3 6	Percent 1
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	872 5 4 76 1 5 	91 1	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.1 3 4.7 15 6.6 13 4.1 9 4.0 7 7.2	Bi rths 775 4 * 52 * 4 1st Tr Bi rths * 5 52 191 284 203 90	i mester Percent 89 80 . 68 . 80 Tri mest i mester Percent . 36 81 84 89 91 93	2nd Trimester Births Percent 88 10 1 20 * 15 20 * 1 20 * 1 20 * ter of First Prenata 2nd Trimester Births Percent * 7 50 9 14 30 13 31 10 18 8 7 7	Other/Births 9 . 4 9 * I Visit Other/Births 2 3 6 4	Percent 1 12
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	872 5 4 76 1 5 Fe Bi rths 1 4 64 227 319 224 97 16	91	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.1 3 4.7 15 6.6 13 4.1 9 4.0	Bi rths 775 4 * 52 * 4 1st Tr Bi rths * 5 52 191 284 203	i mester Percent 89 80 . 68 . 80 Tri mest i mester Percent . 36 81 84 89 91	2nd Trimester Births Percent 88 10 1 20 * 15 20 * 1 20 * 1 20 * ter of First Prenata 2nd Trimester Births Percent * 7 50 9 14 30 13 31 10 18 8	Other/Births 9 . 4 9 * I Visit Other/Births 2 3 6 4	Percent 1 12
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	872 5 4 76 1 5 	91 1 <.5 8 <.5 1 	(under 2,500 gm) Births Percent 45 5.2 1 20.0 * 3 3.9 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.1 3 4.7 15 6.6 13 4.1 9 4.0 7 7.2 1 6.3	Bi rths 775 4 * 52 * 4 1st Tr Bi rths * 5 52 191 284 203 90	i mester Percent 89 80 . 68 . 80 Tri mest i mester Percent . 36 81 84 89 91 93	2nd Trimester Births Percent 88 10 1 20 * 15 20 * 1 20 * 1 20 * ter of First Prenata 2nd Trimester Births Percent * 7 50 9 14 30 13 31 10 18 8 7 7 3 19	Other/Births 9 . 4 9 * I Visit Other/Births 2 3 6 4	Percent 1 12

MORBI DI TY			MOI	RTALLTY	
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (e neonatal, and Perinatal and	except in postneon fetal de	fant) are atal death ath rates :	per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	Infant, e births. s plus
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re's Lyme Measl es Meni ngitis, Aseptic Meni ngitis, Bacterial Mumps Pertussis Sal monel losis Shi gel losis	TOTAL DEATHS Crude Death Rat Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+	Deaths 1 3 6 12 71 79 126 266 351	919 1,048 Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart diseas Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Diseas Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Dis.	e 195 222 214 244 53 60 22 25 20 48* e 78 89 43 49 17 . 47 54 30 34 27 31 7 .
<pre>* Z003 provisional data. ** Includes all positive HBsAg test results. Sexually Transmitted Disease</pre>	Infant Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 4 3 1	Rate	* Based on female popu ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU	I ation. AS UNDERLYING SE OF DEATH
Chlamydia Trachomatis 367 Genital Herpes 28 Gonorrhea 36 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	3 1		Al cohol Other Drugs Both Mentioned * Includes tobacco use MOTOR VEHICL Note: These data are b	(see page 7). E CRASHES
Children in Grades K-12 by Compliance Level Compliant 11,864 Non-compliant 61 Percent Compliant 99.5	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Perinatal Mortality Total Perinatal Neonatal Fetal	Deaths	Rate	of crash, not o Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	residence. Persons Persons Injured Killed 643 19 83 7

		Average		- 2003 HOSP Charge	ITALIZATIONS		 Per	Average		 Charge
DI SEASE /	1, 000	Stay		Per	DI SEASE /		1, 000	Stay	Average	
AGE GROUP Number		(Days)		Capi ta	AGE GROUP	Number	Pop	(Days)		Capi ta
Injury-Related: All					Al cohol -Rel ated					
Total 887	10. 1	4. 7	\$20, 116	\$204	Total	105	1. 2	4. 0	\$6, 967	\$8
<18 50			\$19, 820	\$49	18-44	60	1. 8	3. 5	\$5, 832	\$10
18-44 225		4. 2	\$19, 985	\$131	45-64	42	2. 0	4. 6	\$8, 126	\$16
45-64 207	9. 8		\$22, 350	\$220	Pneumonia and I				, -,	*
65+ 405		4. 9	\$19, 084	\$636	Total	413	4. 7	3. 9	\$9,722	\$46
Injury: Hip Fracture		,	Ψ. γ, σσ.	Ψ000	<18	54	2. 7	2. 1	\$3, 968	\$11
Total 109		5. 2	\$21, 604	\$27	45-64	71	3. 4	4. 1	\$10, 975	\$37
65+ 99	8. 1	5. 2	\$21, 464	\$175	65+	263	21. 7	4. 3	\$10, 465	\$227
Injury: Poisonings	0	0	Ψ2.7 .0.	Ψ170	Cerebrovascul ar		,	0	Ψ10/100	Ψ,
Total 64	0. 7	2. 2	\$8, 469	\$6	Total	230	2. 6	4. 3	\$16, 424	\$43
18-44 34			\$7, 081	\$7	45-64	42	2. 0	4 2	\$20, 584	\$41
10 11 01	1. 0	1. 0	Ψ7, 001	Ψ1	65+	180	14. 8	4. 1	\$14, 017	\$208
Psychi atri c					Chronic Obstruc	tive Pulm	onary D)i sease	Ψ11, 017	Ψ200
Total 493	5. 6	8. 4	\$8, 708	\$49	Total	202	2.3	3. 4	\$8, 488	\$20
<18 109		9. 2	\$9, 432	\$51	<18	27	1. 3	1. 9	\$4, 089	\$5
18-44 204		8.8	\$8, 111	\$48	18-44	21	0.6	2. 8	\$6, 390	\$4
45-64 98		6. 4	\$6, 935	\$32	45-64	37	1.8	3. 1	\$8, 637	\$15
65+ 82	6.8	8. 5	\$11, 346	\$77	65+	117	9. 6	4. 0	\$9, 833	\$95
05+ 02	0. 0	0. 5	Ψ11, 540	ΨΙΙ	Drug-Rel ated	117	7. 0	4. 0	Ψ7, 033	Ψ75
Coronary Heart Disease					Total	33	0. 4	10 /	\$11, 085	\$4
Total 753		3 /	\$26, 753	\$230	18-44	13	0.4		\$11,000	44
45-64 261			\$26, 733 \$26, 078	\$324	10-44	13	•	•	•	•
65+ 444		2.7	\$20,076	\$1000	Total Hospitali	zati onc				
03+ 444	30. 0	3. 0	ΦΖ1, 347	\$1000	Total	11, 110	126 7	3 0	\$12, 780	\$1,620
Malignant Neoplasms (C	ancore).	ΛΙΙ			10tai -10	1, 739	86. 0	3. 1	\$5, 758	\$495
Total 409	4. 7	AII 5 6	\$21, 915	\$102	<18 18-44 45-64 65+	2, 733	79.8	3. 3	\$9, 802	\$782
18-44 32	0. 9	3. U	\$21, 913	\$22	10-44	2, 733 2, 292	109. 0	3. 3 4. 0	\$16, 433	\$1, 791
45-64 157	7. 5	5. 1	\$23, 437 \$20, 487	\$153	45-04	4, 346	357. 8	4. 5	\$10, 433 \$15, 536	Φ1, / 7 I ¢5 550
65+ 211	17. 4	5. I 6. O	\$20, 467 \$21, 967	\$382	05+	4, 340	337.0	4. 5	\$15,550	40, 000
Neoplasms: Female Br	17.4 225 (ra	o.u etos for	fomal on	⊅οο∠ Spulation)	PR	EVENTABI E	HUSDI T	ΛΙΙ Ζ ΛΤΙ	ONC*	
Total 28		1. 2	\$9, 406	\$6	Total	1, 468	16. 7	3. 8	\$9, 773	\$164
Neoplasms: Colo-rect	U. /	1. 2	Φ9, 400	ΦΟ	10tai <18	1, 408	8. 3	2. 3	\$9, 773 \$6, 632	\$164 \$55
		7.0	¢24 220	¢10	< Ιδ 10 44			۷. غ م		\$55 \$37
Total 63 65+ 40		7. 8 8. 4		\$19 \$94	18-44 45-64	150	4.4	3. 4 3. 6	\$8, 470 \$9, 932	\$37 \$122
	ა. ა	o . 4	\$28, 493	ФУ4	45-64 65+	259 892	12. 3			\$122 \$773
Neoplasms: Lung Total 50	0. 6	5. 1	¢10 100	\$10	05+	892	73. 4	4. 1	\$10, 533	\$113
10tai 50	0.6	Э. I	\$18, 189	ΦIU						
Di abetes	_		· · · · · ·		* Hospitalizations	for cond	itions	where t	imely and	effecti ve
Total 100	1. 1	4. 1	\$10, 874	\$12	ambulatory care ca	n reduce	the lik	el i hood	of hospi	tal i zati oı
65+ 42	3. 5	5. 4	\$14, 183	\$49						
					I					